





















- [47] N. Soltau, H.A.B. Siddique, and R.W. de Doncker, "Comprehensive modeling and control strategies for a three-phase dual-active bridge," *2012 Int. Conf. Renew. Energy Res. Appl. (ICRERA)*, 2012, pp. 1–6, doi: 10.1109/ICRERA.2012.6477408.
- [48] J. Hu, P. Joebges, and R.W. de Doncker, "Maximum power point tracking control of a high power dc-dc converter for PV integration in MVDC distribution grids," *2017 IEEE Appl. Power Electron. Conf. Expo. (APEC)*, 2017, pp. 1259–1266, doi: 10.1109/APEC.2017.7930857.
- [49] H. Qin and J.W. Kimball, "Closed-loop control of dc-dc dual-active-bridge converters driving single-phase inverters," *IEEE Trans. Power Electron.*, vol. 29, no. 2, pp. 1006–1017, Feb. 2014, doi: 10.1109/TPEL.2013.2257859.
- [50] G. Li *et al.*, "Design of MMC hardware-in-the-loop platform and controller test scheme," *CPSS Trans. Power Electron. Appl.*, vol. 4, no. 2, pp. 143–151, Jun. 2019, doi: 10.24295/CPSSSTPEA.2019.00014.
- [51] S. Aidrus, P. Ghosh, P. Joebges, and R.W. de Doncker, "Control and fault monitoring of modular dual active bridge converters," *2021 23rd Eur. Conf. Power Electron. Appl. (EPE'21 ECCE Eur.)*, 2021, pp. P.1–P.10, doi: 10.23919/EPE21ECCEurope50061.2021.9570446.
- [52] C. Graf, J. Maas, T. Schulte, and J. Weise-Emden, "Real-time HIL-simulation of power electronics," *2008 34th Annu. Conf. IEEE Ind. Electron.*, 2008, pp. 2829–2834, doi: 10.1109/IECON.2008.4758407.
- [53] STMicroelectronics, "Arm® Cortex®-M4 32-bit MCU+FPU, 225 DMIPS, up to 512 KB Flash/128+4 KB RAM, USB OTG HS/FS, seventeen TIMs, three ADCs and twenty communication interfaces," STM32F446xC/E datasheet, Jan. 2021.
- [54] (2023) "6-series HIL." [Online], <https://www.typhoon-hil.com/products/6-series/>, access date: 08-Feb- 2023.
- [55] A. Zhao, A.A. Fomani, and W.T. Ng, "One-step digital dead-time correction for dc-dc converters," *2010 25th Annu. IEEE Appl. Power Electron. Conf. Expo. (APEC)*, 2010, pp. 132–137, doi: 10.1109/APEC.2010.5433682.
- [56] STmicroelectronics, "STM32 cross-series timer overview," AN4013 Application Note, Jan. 2023.